

SKU	SKU Type	SKU Description	H/M	List Price
<b>Scanning - HH - Hand-Held Scanners: General Purpose Area Imaging - 4820 Cordless</b>				
<b>Hardware - Kit</b>				
4820HDH-FIPSKITAE	Standard	North American Kit contains: 4820HD with disinfectant-ready housing, USB cable, fully-functional base (2020-5BE), FIPS-encrypted software, power supply (PS9U-21E) and Quick Start Guide	H	
<b>Hardware - Imager Kits: 4820SR</b>				
4820SR0C1CB-0FB0E	Stocking	4820 USB Kit (Euro): imager (4820SR0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, straight USB cable, and user documentation	H	£728
4820SR0C1CB-0FC0E	Stocking	4820 USB Kit (UK): imager (4820SR0C1CBE), cordless base (2020-5BE), UK power supply & power cord, straight USB cable, and user documentation	H	£728
4820SR0C1CB-0GB0E	Standard	4820 User's Guide Kit (Euro): imager (4820SR0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, and user documentation	H	£720
4820SR0C1CB-0GC0E	Standard	4820 User's Guide Kit (UK): imager (4820SR0C1CBE), cordless base (2020-5BE), UK power supply & power cord, and user documentation	H	£720
4820SR0C1CB-0IB0E	Stocking	4820 KBW Kit (Euro): imager (4820SR0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, straight KBW cable, and user documentation	H	£728
4820SR0C1CB-0IC0E	Standard	4820 KBW Kit (UK): imager (4820SR0C1CBE), cordless base (2020-5BE), UK power supply & power cord, straight KBW cable, and user documentation	H	£728
<b>Hardware - Imager Kits: 4820SF</b>				
4820SF0C1CB-0FB0E	Standard	4820 USB Kit (Euro): imager (4820SF0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, straight USB cable, and user documentation	H	£728

4820SF0C1CB-0FC0E	Stocking	4820 USB Kit (UK): imager (4820SF0C1CBE), cordless base (2020-5BE), UK power supply & power cord, straight USB cable, and user documentation	H	£728
4820SF0C1CB-0GB0E	Standard	4820 User's Guide Kit (Euro): imager (4820SF0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, and user documentation	H	£720
4820SF0C1CB-0GC0E	Standard	4820 User's Guide Kit (UK): imager (4820SF0C1CBE), cordless base (2020-5BE), UK power supply & power cord, and user documentation	H	£720
4820SF0C1CB-0IB0E	Standard	4820 KBW Kit (Euro): imager (4820SF0C1CBE), cordless base (2020-5BE), Euro power supply & power cord, straight KBW cable, and user documentation	H	£728
4820SF0C1CB-0IC0E	Standard	4820 KBW Kit (UK): imager (4820SF0C1CBE), cordless base (2020-5BE), UK power supply & power cord, straight KBW cable, and user documentation	H	£728
<b>Hardware - Imager Kits: 4820HD</b>				
4820HDH-IKITAE	Standard	North American Kit contains: 4820HD with disinfectant-ready housing, bluetooth interface module with USB cable, charge-only base (2020-CBE), spare battery (10000495E), battery charge sleeve (2000001576E), velcro for mounting module, and NA power supp	H	£765
4820HDH-IKITBE	Stocking	European Kit contains: 4820HD with disinfectant-ready housing, bluetooth interface module with USB cable, charge-only base (2020-CBE), spare battery (10000495E), battery charge sleeve (2000001576E), velcro for mounting module, and EMEA power supply (	H	£780
4820HDH-IKITCE	Stocking	UK Kit contains: 4820HD with disinfectant-ready housing, bluetooth interface module with USB cable, charge-only base (2020-CBE), spare battery (10000495E), battery charge sleeve (2000001576E), velcro for mounting module, and UK power supply (PS9U-23E	H	£780

4820HDH-KITBE	Standard	European Kit contains: 4820HD with disinfectant-ready housing, USB cable, fully-functional base (2020-5BE), and EMEA power supply (PS9U-22E)	H	£765
4820HDH-KITCE	Standard	UK Kit contains: 4820HD with disinfectant-ready housing, USB cable, fully-functional base (2020-5BE), and UK power supply (PS9U-23E)	H	£765
4820HD-IKITAE	Standard	North American Kit contains: 4820HD, bluetooth interface module with USB cable, charge-only base (2020-CBE), spare battery (10000495E), battery charge sleeve (2000001576E), velcro for mounting module, and NA power supply (PS9U-21E)	H	£578
<b>Hardware - Imager: 4820 (General Purpose) Housing Color / Aimer / Decoding</b>				
4820HDHOC1CBE	Standard	RS-232, USB, KBW, IBM 4683, Wand Emulation / White Disinfectant-Ready Housing / Green LED / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR) / Compatible only with 2020-5BE	H	£583
4820HDHM	Standard	RS-232, USB, KBW, IBM4683, Wand Emulation / White Disinfectant-Ready Housing / Green LED / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR) / Compatible only with Bluetooth Interface Module	H	£539
4820SF0C1CBE	Standard	RS-232, USB, KBW, IBM 4683, Wand Emulation / Gray / Green LED / Complete decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR)	H	£546
4820SR0C1CBE	Standard	RS-232, USB, KBW, IBM 4683, Wand Emulation / Gray / Green LED / Complete decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR)	H	£546
<b>Accessories - Chargers</b>				
MB4-BAT-SCN01EUD0	Standard	4-bay battery charger (EU) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, EU desktop power supply (PS-050-4000D-EU), two mounting screws (100006897), and Instructions (MBC-INST)	H	£203

MB4-BAT-SCN01EUW0	Standard	4-bay battery charger (EU) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, EU wallmount power supply (PS-050-4000W-EU), two mounting screws (100006897), and Instructions (MBC-INST)	H	£203
MB4-BAT-SCN01UKD0	Standard	4-bay battery charger (UK) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, UK desktop power supply (PS-050-4000D-UK), two mounting screws (100006897), and Instructions (MBC-INST)	H	£203
MB4-BAT-SCN01UKW0	Standard	4-bay battery charger (UK) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, UK wallmount power supply (PS-050-4000W-UK), two mounting screws (100006897), and Instructions (MBC-INST)	H	£203
<b>Accessories - Power</b>				
100000495	Standard	Lithium ion battery for 3820, 3820i, 4820, 4820i, and 6320 cordless imagers	H	£33
300000651E	Standard	Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions	H	£68
77900507E	Stocking	UK power cord, used to connect power supply to AC outlet V Length: 6.0 ft. (1.8m)	H	£6
77900508E	Stocking	European power cord, used to connect power supply to AC outlet V Length: 6.0 ft. (1.8m)	H	£8
PS-090-2000D-EU	Standard	9 volt DC power supply, input voltage 100-240v @47-63Hz, with European AC connection (77900508E)	H	£11
PS5U-23E	Standard	9 volt DC power supply, input voltage 100-240 @47-63Hz, with UK AC connection (77900507E)	H	£11
<b>Accessories - Cables</b>				
42203758-03E	Standard	Cable, RS-232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m)	H	£28
42203758-03SE	Standard	Cable, RS-232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m)	H	£9
42203758-04E	Stocking	Cable, RS-232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m)	H	£26

42205155-05E	Standard	Cable, IBM 4683/4684/4693/4694 Port 9A/B Length: 10.2 ft. (3.1m)	H	£21
42206132-02SE	Stocking	Cable, AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m)	H	£9
42206161-01E	Stocking	Cable, straight Commercial USB Connector: USB Type A Length: 8.5 ft. (2.6m)	H	£12
42206202-02E	Standard	Cable, coiled Commercial USB A Connector: USB Type A Length: 9.2 ft. (2.8m)	H	£30
42206422-01E	Standard	Cable, straight RS-232 TTL, EP, TX Data on Pin 2 Connector: D 9 PIN F Length: 7.7 ft. (2.3m)	H	£15
<b>Accessories - Stands/Holders/Cordless Bases</b>				
2020-5BE	Standard	Compact cordless charge base charges lithium ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld imagers. This base also provides a radio link to facilitate communication between the imager and host system	H	£187
2020-CB-BE	Standard	Compact base charges batteries for the 3820, 4820, 4820i, and 6320dpm cordless handheld imagers that communicate directly via a Bluetooth® device and don't require a base with integrated host interface or radio link (Euro only)	H	£87
2020-CB-CE	Standard	Compact base charges batteries for the 3820, 4820, 4820i, and 6320dpm cordless handheld imagers that communicate directly via a Bluetooth® device and don't require a base with integrated host interface or radio link (UK only)	H	£87
BT MODULE-KIT	Standard	Bluetooth Interface Module Kit contains: Bluetooth Interface Module, USB Cable, 2 'unlinking' barcodes, and velcro	H	£82
HOLSTERE	Standard	When clipped to user's personal belt, holster enables storage of 3820, 3820i, 4820, or 4820i cordless imagers and one spare lithium-ion battery while leaving hands-free to accomplish other tasks (scanner and battery sold separately)	H	£30
<b>Accessories - Documentation</b>				
4820-UG	Standard	User's Guide (4820, 4820i), paper (English)	H	£9
4820UG-CD	Standard	User's Guide (4820, 4820i), CD (English)	H	£11

CRDLSS-02-QS	Standard	Cordless Quick Start Guide	H	£2
<b>Accessories - Miscellaneous</b>				
100005325FRE	Standard	Gray tool-free (thumbwheel) end cap for use with gray commercial cordless image scanners only	H	£15
100005326FRE	Standard	White tool-free (thumbwheel) end cap for use with cordless image scanners with white disinfectant-ready housings only	H	£18
<b>Software - Software</b>				
FIPS-UPGRDKT	Standard	Installation package includes CD and loading instructions for upgrading 3820, 3820i, 4820 or 4820i's already in the field with FIPS-encrypted software.	H	£79
<b>Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the</b>				
SVC4820K-SMS3	Standard	4820/4820i with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year	H	£48
SVC4820K-SMS5	Standard	4820/4820i with Base, 1-day turnaround, comprehensive coverage, 5-Year	H	£94
SVC4820K-W	Standard	4820/4820i with Base Extended Warranty, 1-Year	H	£39
SVC4BAY-SMS5	Standard	38/48/6320 Multicharger, 1-day turnaround, comprehensive, 5-year package	H	£33
SVC4BAY-W	Standard	38/48/6320 Multicharger, Extended Warranty, 10-day turn, 1 year term	H	£7
<b>Global Services - Post Sale Service Contracts (Price if service purchased during warranty, but 30+ days after product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year, those are per unit for the term.)</b>				
E-SVC4820K-S	Standard	Post Sale, 4820/4820i with Base: 1-day turnaround, annual	H	£70
E-SVC4820K-W	Standard	4820/4820i with Base Extended Warranty, 1-Year	H	£53
E-SVC4BAY-S	Standard	38/48/6320 Multicharger, 3 day, wear and defects only, 1 yr, Post Sale	H	£12
E-SVC4BAY-W	Standard	38/48/6320 Multicharger, Post Sales, Extended Warranty, 10-day term, 1 year term	H	£9

**PRICE DISPLAYED IS THE RRP FROM THE VENDOR**

**PRICES VALID FROM 25/05/10 UNTIL FURTHER NOTICE BUT ARE SUBJECT TO CHANGE**

**PLEASE CONTACT US FOR YOUR DISCOUNTED PRICE**

**info@2dbarcodescanners.co.uk**

**01785 226855**