

| SKU | SKU Type | SKU Description | H/M | List Price |
|---|----------|--|-----|------------|
| Scanning - HH - Hand-Held Scanners: Industrial Duty - 4820i Cordless | | | | |
| Hardware - Imager Kits: 4820iSR | | | | |
| 4820ISR-KBWKITBE | Standard | KBW Kit (Euro) contains: imager (4820iSRE), cordless base (2020-5BE), Euro power supply & power cord, straight KBW cable, and user documentation | H | £909 |
| 4820ISR-KBWKITCE | Standard | KBW Kit (UK) contains: imager (4820iSRE), cordless base (2020-5BE), UK power supply & power cord, straight KBW cable, and user documentation | H | £909 |
| 4820ISR-SERKITBE | Standard | RS-232 Kit (Euro) contains: imager (4820iSRE), cordless base (2020-5BE), Euro power supply & power cord, straight RS-232 cable, and user documentation | H | £909 |
| 4820ISR-SERKITCE | Standard | RS-232 Kit (UK) contains: imager (4820iSRE), cordless base (2020-5BE), UK power supply & power cord, straight RS-232 cable, and user documentation | H | £909 |
| 4820ISR-USBKITBE | Standard | USB Kit (Euro) contains: imager (4820iSRE), cordless base (2020-5BE), Euro power supply & power cord, straight USB cable, and user documentation | H | £909 |
| 4820ISR-USBKITCE | Standard | USB Kit (UK) contains: imager (4820iSRE), cordless base (2020-5BE), UK power supply & power cord, straight USB cable, and user documentation | H | £909 |
| Hardware - Imager Kits: 4820iSF | | | | |
| 4820ISF-KBWKITBE | Standard | KBW Kit (Euro) contains: imager (4820iSFE), cordless base (2020-5BE), Euro power supply & power cord, straight KBW cable, and user documentation | H | £909 |

| | | | | |
|--|----------|---|---|------|
| 4820ISF-KBWKITCE | Standard | KBW Kit (UK) contains: imager (4820iSFE), cordless base (2020-5BE), UK power supply & power cord, straight KBW cable, and user documentation | H | £909 |
| 4820ISF-SERKITBE | Standard | RS-232 Kit (Euro) contains: imager (4820iSFE), cordless base (2020-5BE), Euro power supply & power cord, straight RS-232 cable, and user documentation | H | £909 |
| 4820ISF-SERKITCE | Standard | RS-232 Kit (UK) contains: imager (4820iSFE), cordless base (2020-5BE), UK power supply & power cord, straight RS-232 cable, and user documentation | H | £909 |
| 4820ISF-USBKITBE | Standard | USB Kit (Euro) contains: imager (4820iSFE), cordless base (2020-5BE), Euro power supply & power cord, straight USB cable, and user documentation | H | £909 |
| 4820ISF-USBKITCE | Standard | USB Kit (UK) contains: imager (4820iSFE), cordless base (2020-5BE), UK power supply & power cord, straight USB cable, and user documentation | H | £909 |
| Hardware - Imager: 4820iSR (Industrial) Performance Range / Housing Color / Aimer / Decoder | | | | |
| 4820ISRE | Standard | Standard Range / Orange / Green LED Aimer / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR) | H | £728 |
| Hardware - Imager: 4820iSF (Industrial) | | | | |
| 4820ISFE | Standard | Special Focus / Orange / Green LED Aimer / Complete Decode (1D, 2D, PDF, matrix, postal bar codes, image capture, and OCR) | H | £728 |
| Accessories - Chargers | | | | |
| MB4-BAT-SCN01EUD0 | Standard | 4-bay battery charger (EU) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, EU desktop power supply (PS-050-4000D-EU), two mounting screws (100006897), and Instructions (MBC-INST) | H | £203 |
| MB4-BAT-SCN01EUW0 | Standard | 4-bay battery charger (EU) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, EU wallmount power supply (PS-050-4000W-EU), two mounting screws (100006897), and Instructions (MBC-INST) | H | £203 |

| | | | | |
|-----------------------------|----------|---|---|------|
| MB4-BAT-SCN01UKD0 | Standard | 4-bay battery charger (UK) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, UK desktop power supply (PS-050-4000D-UK), two mounting screws (100006897), and Instructions (MBC-INST) | H | £203 |
| MB4-BAT-SCN01UKW0 | Standard | 4-bay battery charger (UK) for use with 3820, 3820i, 4820, 4820i & 6320dpm lithium ion batteries, UK wallmount power supply (PS-050-4000W-UK), two mounting screws (100006897), and Instructions (MBC-INST) | H | £203 |
| Accessories - Power | | | | |
| 100000495 | Standard | Lithium ion battery for 3820, 3820i, 4820, 4820i, and 6320 cordless imagers | H | £33 |
| 300000651E | Standard | Cordless Battery Charge Kit contains: battery (100000495), battery charge sleeve (200001576E), retention mechanism, assembly/usage instructions | H | £68 |
| 77900507E | Stocking | UK power cord, used to connect power supply to AC outlet V Length: 6.0 ft. (1.8m) | H | £6 |
| 77900508E | Stocking | European power cord, used to connect power supply to AC outlet V Length: 6.0 ft. (1.8m) | H | £8 |
| PS-090-2000D-EU | Standard | 9 volt DC power supply, input voltage 100-240v @47-63Hz, with European AC connection (77900508E) | H | £11 |
| PS5U-23E | Standard | 9 volt DC power supply, input voltage 100-240 @47-63Hz, with UK AC connection (77900507E) | H | £11 |
| Accessories - Cables | | | | |
| 42203758-03E | Standard | Cable, RS-232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, coiled Length: 7.7ft. (2.3m) | H | £28 |
| 42203758-03SE | Standard | Cable, RS-232 TTL, Connector: D 9 Pin F, power on pin 9, TX data on pin 2, straight Length: 7.7ft. (2.3m) | H | £9 |
| 42203758-04E | Stocking | Cable, RS-232 TTL, Connector: D 9 Pin F connector, TX data on pin 2, external power, coiled Length: 7.7ft. (2.3m) | H | £26 |
| 42206132-02SE | Stocking | Cable, AT - PS/2 & compatibles, wedge Connector: Mini Din 6 PIN M/F Length: 9.2 ft. (2.8m) | H | £9 |
| 42206161-01E | Stocking | Cable, straight Commercial USB Connector: USB Type A Length: 8.5 ft. (2.6m) | H | £12 |

| | | | | |
|--|----------|---|---|------|
| 42206202-02E | Standard | Cable, coiled Commercial USB A Connector: USB Type A Length: 9.2 ft. (2.8m) | H | £30 |
| 42206422-01E | Standard | Cable, straight RS-232 TTL, EP, TX Data on Pin 2 Connector: D 9 PIN F Length: 7.7 ft. (2.3m) | H | £15 |
| Accessories - Stands/ HOLDERS/ Cordless Bases | | | | |
| 2020-5BE | Standard | Compact cordless charge base charges lithium ion batteries contained within the 3820, 3820i, 4820, and 4820i handheld imagers. This base also provides a radio link to facilitate communication between the imager and host system | H | £187 |
| 2020-CB-BE | Standard | Compact base charges batteries for the 3820, 4820, 4820i, and 6320dpm cordless handheld imagers that communicate directly via a Bluetooth® device and don't require a base with integrated host interface or radio link (Euro only) | H | £87 |
| 2020-CB-CE | Standard | Compact base charges batteries for the 3820, 4820, 4820i, and 6320dpm cordless handheld imagers that communicate directly via a Bluetooth® device and don't require a base with integrated host interface or radio link (UK only) | H | £87 |
| BT MODULE-KIT | Standard | Bluetooth Interface Module Kit contains: Bluetooth Interface Module, USB Cable, 2 'unlinking' barcodes, and velcro | H | £82 |
| HOLSTERE | Standard | When clipped to user's personal belt, holster enables storage of 3820, 3820i, 4820, or 4820i cordless imagers and one spare lithium-ion battery while leaving hands-free to accomplish other tasks (scanner and battery sold separately) | H | £30 |
| Accessories - Documentation | | | | |
| 4820-UG | Standard | User's Guide (4820, 4820i), paper (English) | H | £9 |
| 4820UG-CD | Standard | User's Guide (4820, 4820i), CD (English) | H | £11 |
| CRDLSS-02-QS | Standard | Cordless Quick Start Guide | H | £2 |
| Accessories - Miscellaneous | | | | |
| 100003438FRE | Standard | Gray tool-free (thumbwheel) end cap for use with orange industrial cordless image scanners only | H | £24 |
| Software - Software | | | | |

| | | | | |
|---|----------|---|---|-----|
| FIPS-UPGRDKT | Standard | Installation package includes CD and loading instructions for upgrading 3820, 3820i, 4820 or 4820i's already in the field with FIPS-encrypted software. | H | £79 |
| Global Services - Service Contracts (Price if service purchased within 30 days of product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year - those are per unit for the | | | | |
| Custom Service | Standard | Enterprise level custom program, minimum quantities and set-up fees will apply | H | |
| SVC4820K-SMS3 | Standard | 4820/4820i with Base, SMS 1-day turnaround, comprehensive coverage, 3-Year | H | £48 |
| SVC4820K-SMS5 | Standard | 4820/4820i with Base, 1-day turnaround, comprehensive coverage, 5-Year | H | £94 |
| SVC4820K-W | Standard | 4820/4820i with Base Extended Warranty, 1-Year | H | £39 |
| SVC4BAY-SMS3 | Standard | 38/48/6320 Multicharger, 1-day turnaround, comprehensive, 3-year package | H | £23 |
| SVC4BAY-SMS5 | Standard | 38/48/6320 Multicharger, 1-day turnaround, comprehensive, 5-year package | H | £33 |
| SVC4BAY-W | Standard | 38/48/6320 Multicharger, Extended Warranty, 10-day turn, 1 year term | H | £7 |
| Global Services - Post Sale Service Contracts (Price if service purchased during warranty, but 30+ days after product shipment. Price is per unit per year, except for packages noted as 3 year or 5 year, those are per unit for the term.) | | | | |
| E-SVC4820K-S | Standard | Post Sale, 4820/4820i with Base: 1-day turnaround, annual | H | £70 |
| E-SVC4820K-W | Standard | 4820/4820i with Base Extended Warranty, 1-Year | H | £53 |
| E-SVC4BAY-S | Standard | 38/48/6320 Multicharger, 3 day, wear and defects only, 1 yr, Post Sale | H | £12 |
| E-SVC4BAY-W | Standard | 38/48/6320 Multicharger, Post Sales, Extended Warranty, 10-day term, 1 year term | H | £9 |

PRICE DISPLAYED IS THE RRP FROM THE VENDOR

PRICES VALID FROM 25/05/10 UNTIL FURTHER NOTICE BUT ARE SUBJECT TO CHANGE

PLEASE CONTACT US FOR YOUR DISCOUNTED PRICE

info@2dbarcodescanners.co.uk

01785 226855